

HAVEN

SHOWERS

SHOWER ENCLOSURES, BATH SCREENS & WETROOM PANELS



www.roman-showers.com



*Manufacturing Headquarters, Durham



About Us



Roman's Haven range of Showers offers you all the qualities you would expect from the Roman Brand - for complete peace of mind. The innovative and affordable Haven range is backed by nearly 40 years of showering experience, offering high quality products complete with a comprehensive after sales service and a Lifetime Guarantee.

All Haven products are designed by Roman's in-house team of Designers to offer a diverse range of contemporary products at an affordable price. The Haven collection is available from 10mm to 6mm glass thickness and encompasses an array of enclosures, a selection of side panels and in-line panels, stylish bath screens, wetroom panels and shower trays. Haven enclosures and bath screens feature toughened safety glass and are available in a choice of colours, which effortlessly and seamlessly complement all bathroom shapes and styles.



-  **FULLY ACCREDITED**
MANUFACTURING FACILITY
-  **AWARD WINNING**
MANUFACTURING & INNOVATION
-  **SUSTAINABILITY**
PROMOTES CIRCULAR ECONOMY
-  **GLOBAL BRAND**
LUXURY HOTELS WORLDWIDE
-  **HIGH QUALITY MATERIAL**
EXCEPTIONAL PERFORMANCE
-  **SKILLED WORKFORCE**
EXCEPTIONAL SERVICE
-  **INSPIRATION**
TO DESIGN YOUR BATHROOM
-  **CUSTOMER SERVICE**
SALES & AFTERCARE
-  **GLASS**
TOUGHENED SAFETY GLASS
-  **INCLUSIVE DESIGN**
FOR ALL USERS REQUIREMENTS

All Roman Shower Enclosures, Bath Screens and Trays are manufactured in our UK Manufacturing Plant and Headquarters. Everything is designed and created in Britain, offering the ultimate in quality, precision & craftsmanship.



All Roman products fully conform to and exceed the European standards and carry the CE Marking. Any newly manufactured products from the 1st January 2021 will have the new UKCA mark applied, as per government guidelines.

Award Winning Manufacturing & Innovation

Our products and ranges have won multiple awards for innovation and manufacturing including;

- Queens Award for International Export in 2017 & 2022
- NHIC for bathroom safety compliance in 2018
- We have also been identified as one of London Stock Exchange's 1000 Companies to Inspire Britain.
- Roman is included in the FT1000, which is the list of Europe's Fastest Growing Companies, compiled by the Financial Times



Protecting the Environment

Constantly working with our suppliers to maximise the use of recycled materials - with the ultimate aim of becoming carbon neutral.

For our full Environmental policy please visit www.roman-showers.com

ROMAN HAS THREE CORE ENVIRONMENTAL OBJECTIVES:

- 1 Reduce energy consumed as a direct proportion of business activity
- 2 Increase the proportion of recycled waste
- 3 Reduce and if possible eliminate any harmful emissions, discharges or pollutants generated by the business activity.



We worked with the Carbon Trust during 2021 in accordance with ISO 14064-3, and we are incredibly proud Roman met the requirements under PAS 2060 after our emissions and operations at our headquarters in County Durham were certified as carbon neutral.

www.carbontrust.com

We are proud to support the #TerraCarta from HRH The Prince of Wales' Sustainable Markets Initiative.

The Terra Carta provides a roadmap to 2030 for businesses to move towards an ambitious and sustainable future; one that will harness the power of Nature combined with the transformative power, innovation and resources of the private sector.

The global business proposition outlines ten areas for action and comprises of nearly 100 actions for business as the basis of a recovery plan that puts Nature, People and Planet at the heart of global value creation.

Find out more here: www.sustainable-markets.org/terra-carta



LANDFILL REDUCED 7% OF TOTAL WASTE GENERATED

ALL WASTE IS SEGREGATED INTO RECYCLABLES & NON-RECYCLABLES

100% OF ALL PACKAGING RECYCLED BEFORE USE

ALUMINIUM IS 100% RECYCLED BEFORE USE



Vehicles are being updated to Hybrid or full electric (CO₂ emissions between 0-49 kgs per km) throughout the course of the next 2 years. All other vehicles are Euro 6 compliant.

Within our company car fleet we have 7 Hybrid vehicles and one full electric, we have invested heavily in electric point charging at our head office.

Overall company CO₂ reduction since 2016 is 40%.

Contents

HAVEN8

8mm glass | 1950mm height | Chrome Finish

One Door Quadrant	4 - 5
Two Door Quadrant	6 - 7
Bi-Fold Door	8 - 9
Pivot Door	10 - 11
Sliding Door	12 - 13
Level Access Sliding Door	14 - 15
Side and In-Line Panels	16 - 17

HAVEN6

6mm glass | 1900mm height | Chrome Finish

One Door Quadrant	18 - 19
Two Door Quadrant	20 - 21
Bi-Fold Door	22 - 23
Pivot Door	24 - 25
Sliding Door	26 - 27
Level Access Sliding Door	28 - 29
Corner Entry	30 - 31
Side and In-Line Panels	32 - 33

HAVEN6BLACK

6mm glass | 1900mm height | Black Finish

One Door Quadrant	34 - 35
Pivot Door	36 - 37
Sliding Door	38 - 39
Side and In-Line Panels	40 - 41

HAVENFRAMED

4mm glass | 1900mm height | Chrome Finish

Bi-Fold Door	42 - 43
Sliding Door	44 - 45
Pivot Door	46 - 47
Side and In-Line Panels	48 - 49

HAVENWETROOM PANELS

8mm & 10mm glass | 2000mm height | 4 Colour Finishes

Wetroom Panels	50 - 55
Bath Screens	56 - 60
HAVEN8, HAVEN6, HAVEN6 BLACK	
Environmental Information	61
Anti-Slip Trays	62 - 63
Acrylic Low Level Shower Trays	64 - 65
Product After Care	66
Guarantee Information	67



900 x 900mm Quadrant - H4SQ9CS | Roman Low Level Tray - RLQ90

One Door Quadrant

This One Door Quadrant is an ideal showering solution when side entry is more practical for the smaller bathroom. The high quality thick glass bows out to create an expansive 900mm usable space on the 800 x 800mm model and 1000mm of space on the 900 x 900mm version.

GLASS HEIGHT 1950 mm

GLASS THICKNESS 8 mm

SPECIFICATIONS:

- Chromed brass handle
- Bright Silver frame
- 'Minimal' low profile seals
- Smooth running 'quick release' roller bearings
- 25mm vertical adjustment in each profile
- Reversible for left or right hand fixing



900 x 1200mm Quadrant - H4SQ912CS
Roman Low Level Tray - RLQ129L (Left Hand)

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
H4SQ8CS	One Door Quadrant	800 x 800	425	750 - 775
H4SQ9CS	One Door Quadrant	900 x 900	525	850 - 875
H4SQ89CS	One Door Offset Quadrant	800 x 900	425	750 - 775 & 850 - 875
H4SQ810CS	One Door Offset Quadrant	800 x 1000	425	750 - 775 & 950 - 975
H4SQ812CS	One Door Offset Quadrant	800 x 1200	425	750 - 775 & 1150 - 1175
H4SQ912CS	One Door Offset Quadrant	900 x 1200	525	850 - 875 & 1150 - 1175

For full list of tray sizes and options see pages 62 - 65

N.B. Offset size enclosures - door always sits on curved / short edge of tray as illustrated.



900 x 900mm Two Door Quadrant - H4Q9CS | Roman Low Level Tray - RLQ90

Two Door Quadrant

This Quadrant features two sliding doors, which are an intelligent space saving tactic as they allow easy access to the centre of the curve. The contemporary two doors are ideal when space is at a premium as they do not project out into the room or into the showering space.

GLASS HEIGHT 1950 mm

GLASS THICKNESS 8 mm

SPECIFICATIONS:

- Chromed brass handles
- Bright Silver frame
- 'Minimal' low profile seals
- Smooth running 'quick release' roller bearings
- 25mm vertical adjustment in each profile
- Reversible for left or right hand fixing



900 x 1200mm Two Door Quadrant - H4Q912CS
Roman Low Level Tray - RLQ129L (Left Hand)

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
H4Q8CS	Two Door Quadrant	800 x 800	330	750 - 775
H4Q9CS	Two Door Quadrant	900 x 900	500	850 - 875
H4Q89CS	Two Door Offset Quadrant	800 x 900	420	750 - 775 & 850 - 875
H4Q810CS	Two Door Offset Quadrant	800 x 1000	420	750 - 775 & 950 - 975
H4Q812CS	Two Door Offset Quadrant	800 x 1200	420	750 - 775 & 1150 - 1175
H4Q912CS	Two Door Offset Quadrant	900 x 1200	510	850 - 875 & 1150 - 1175

For full list of tray sizes and options see pages 62 - 65

N.B. Offset size enclosures - door always sits on curved / short edge of tray as illustrated.



800mm Bi-Fold Door - H4B8CS | Roman Low Level Tray - RLT80

Bi-Fold Door

The in-fold design of the Bi-Fold Door allows more usable space and minimal intrusion into the bathroom area. It is both practical and stylish, ideal for use in smaller bathrooms or where there may be obstructions outside the showering area, which need to be avoided.

GLASS HEIGHT 1950 mm

GLASS THICKNESS 6 mm

SPECIFICATIONS:

- Chromed brass hinges and handle
- Bright Silver frame
- 25mm vertical adjustment in each profile
- Reversible for left or right hand fixing



1200mm Bi-Fold Door - H4B12CS | 800mm Side Panel - H4R8CS
Roman Low Level Tray - RLT128

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H4B76CS	760	460	700 - 750	717 - 767
H4B8CS	800	500	740 - 790	757 - 807
H4B9CS	900	600	840 - 890	857 - 907
H4B10CS	1000	700	940 - 990	957 - 1007
H4B12CS	1200	900	1140 - 1190	1157 - 1207

N.B. 1000 and 1200 door options are one piece fully framed.
For full list of tray sizes and options see pages 62 - 65
For Side Panel and In-Line Panel information see page 16 - 17



1000 Pivot Door - H4P10CS

Pivot Door

A stylish addition to any bathroom. The simplicity of the Pivot Door creates a supremely efficient space saving solution. The outward opening door takes up minimal external space due to the positioning of the hinge point, which allows for other bathroom fixtures and fittings.

GLASS HEIGHT 1950 mm

GLASS THICKNESS 8 mm

SPECIFICATIONS:

- Chromed brass hinges and handle
- Bright Silver frame
- 'Minimal' low profile seals
- Pivot door must be hinged from the wall
- 25mm vertical adjustment in each profile
- Reversible for left or right hand fixing



1000mm Pivot Door - H4P10CS | 800mm Side Panel - H4R8CS

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H4P76CS	760	465	700 - 750	717 - 767
H4P8CS	800	505	740 - 790	757 - 807
H4P9CS	900	605	840 - 890	857 - 907
H4P10CS	1000	705	940 - 990	957 - 1007

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 16 - 17



1200mm Sliding Door - H4S12CS | White Anti-Slip Tray - RST128

Sliding Door

The Sliding Door will fit in with any bathroom style or décor and offers wide and easy access whilst allowing design flexibility for bathroom furniture and the showering space. It exudes luxury with the smooth sliding door action and generous door opening, which is easy to access for all users.

GLASS HEIGHT 1950 mm

GLASS THICKNESS 8 mm

SPECIFICATIONS:

- Chromed brass handle
- Bright Silver frame
- 'Minimal' low profile seals
- Smooth running 'quick release' roller bearings
- 25mm vertical adjustment in each profile
- Reversible for left or right hand fixing



1200mm Sliding Door - H4S12CS | 800mm Side Panel - H4R8CS
White Anti-Slip Tray - RST128

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H4S10CS	1000	360	940 - 990	957 - 1007
H4S11CS	1100	410	1040 - 1090	1057 - 1107
H4S12CS	1200	460	1140 - 1190	1157 - 1207
H4S14CS	1400	560	1340 - 1390	1357 - 1407
H4S15CS	1500	610	1440 - 1490	1457 - 1507
H4S17CS	1700	710	1640 - 1690	1657 - 1707

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 16 - 17



1200mm Level Access Sliding Door - H4LEL12CS (Left Hand) | Roman Low Level Tray - RLT128

Level Access Sliding Door

GLASS HEIGHT 1950 mm

GLASS THICKNESS 8 mm

Make your bathroom totally inclusive with this sliding door, as the bottom rail can be minimal or completely barrier free, creating true level entry access. The design and functionality exudes luxury with the ultra-smooth running door action with stylish chromed brass components.

SPECIFICATIONS:

- Chromed brass handle
- Bright Silver frame
- Optional bottom rail
- Easy release door function
- 25mm vertical adjustment in each profile
- **Not reversible** - left or right handing must be specified



Open Position - Left Hand
1200mm Level Access Sliding Door - H4LEL12CS | Roman Low Level Tray - RLT128

Code	Size (mm)	Handing	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H4LEL10CS	1000	Left Hand	360	940 - 990	957 - 1007
H4LER10CS	1000	Right Hand	360	940 - 990	957 - 1007
H4LEL11CS	1100	Left Hand	410	1040 - 1090	1057 - 1107
H4LER11CS	1100	Right Hand	410	1040 - 1090	1057 - 1107
H4LEL12CS	1200	Left Hand	460	1140 - 1190	1157 - 1207
H4LER12CS	1200	Right Hand	460	1140 - 1190	1157 - 1207
H4LEL14CS	1400	Left Hand	560	1340 - 1390	1357 - 1407
H4LER14CS	1400	Right Hand	560	1340 - 1390	1357 - 1407
H4LEL15CS	1500	Left Hand	610	1440 - 1490	1457 - 1507
H4LER15CS	1500	Right Hand	610	1440 - 1490	1457 - 1507
H4LEL17CS	1700	Left Hand	710	1640 - 1690	1657 - 1707
H4LER17CS	1700	Right Hand	710	1640 - 1690	1657 - 1707

Please indicate left or right handing when ordering

For full list of tray sizes and options see pages 62 - 65

Not recommended when using ultra-low level shower trays to simulate a wet room environment

For Side Panel and In-Line Panel information see page 16 - 17



800mm Side Panel - H4R8CS

Side and In-Line Panels

A wide selection of side and in-line panels, designed for use with the Haven8 collection of Shower Enclosures. The panels have a toughened glass thickness for durability and a high quality finish and clear glass, to ensure they blend in with most bathroom styles and decor.

GLASS HEIGHT 1950 mm

GLASS THICKNESS 8 mm

SPECIFICATIONS:

- Bright Silver frame
- 25mm vertical adjustment in each profile
- Reversible for left or right hand fixing



200mm In-Line Panel - H4HL2CS

Code	Description	Size (mm)	Adjustment (mm)
H4R7CS	Side Panel	700	650 - 675
H4R76CS	Side Panel	760	710 - 735
H4R8CS	Side Panel	800	750 - 775
H4R9CS	Side Panel	900	850 - 875
H4R10CS	Side Panel	1000	950 - 975
H4HL2CS	In-Line Panel	200	+ 200mm to door sizes
H4HL3CS	In-Line Panel	300	+ 300mm to door sizes
H4ZEX2S	Extension Profile	1950 High	35mm extra
H4ZEX3S	Mini-Extension Profile	1950 High	15mm extra



900 x 900mm Quadrant - H3SQ9CS | Roman Low Level Tray - RLQ90

One Door Quadrant

The polished sliding door design of the One Door Quadrant presents a stylish and perfect space saving solution for the bathroom. The smooth gliding door allows for existing bathroom furniture, whilst also providing a luxuriously large showering area.

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

SPECIFICATIONS:

- **Tray Compatibility:** 550mm radius
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release bearings' in the bottom rail to enable easy cleaning
- Full length colourless PVC seals
- Chromed brass handle on inside and outside of enclosure
- Chromed plastic top caps
- Easy Installation
- Reversible for left or right hand fixing



1200 x 900mm Quadrant - H3SQ129CS | Roman Low Level Tray - RLQ129R

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
H3SQ9CS	One Door Quadrant	900 x 900	450	865 - 890
H3SQ10CS	One Door Quadrant	1000 x 1000	450	965 - 990
H3SQ98CS*	One Door Offset Quadrant	900 x 800	450	865 - 890 & 765 - 790
H3SQ810CS*	One Door Offset Quadrant	1000 x 800	450	765 - 790 & 965 - 990
H3SQ812CS*	One Door Offset Quadrant	1200 x 800	450	765 - 790 & 1165 - 1190
H3SQ129CS*	One Door Offset Quadrant	1200 x 900	450	1165 - 1190 & 865 - 890

*Must specify handing of tray - For full list of tray sizes and options see pages 62 - 65

N.B. The smaller panel will always be on the short side of the tray



900 x 900mm Two Door Quadrant - H3Q9CS | Roman Low Level Tray - RLQ90

Two Door Quadrant

Elegant minimalism meets curvaceous lines to create a modern stylish showering solution. This Quadrant is a perfect configuration for when space is at a premium. The two sliding doors are a clever space-saving tactic, whilst offering an indulgent showering area.

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

SPECIFICATIONS:

- **Tray Compatibility:** 550mm radius
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release bearings' in the bottom rail
- Full length colourless PVC and magnetic seals
- Chromed brass handles on inside and outside of enclosure
- Chromed plastic top caps
- Easy Installation
- Reversible for left or right hand fixing



1200 x 900mm Two Door Offset Quadrant - H3Q129CSR | Roman Low Level Tray - RLQ129R

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
H3Q8CS	Two Door Quadrant	800 x 800	380	765 - 790
H3Q9CS	Two Door Quadrant	900 x 900	510	865 - 890
H3Q10CS	Two Door Quadrant	1000 x 1000	510	965 - 990
H3Q98CS*	Two Door Offset Quadrant	900 x 800	450	865 - 890 & 765 - 790
H3Q810CS*	Two Door Offset Quadrant	1000 x 800	450	765 - 790 & 965 - 990
H3Q812CS*	Two Door Offset Quadrant	1200 x 800	450	765 - 790 & 1165 - 1190
H3Q129CS*	Two Door Offset Quadrant	1200 x 900	520	1165 - 1190 & 865 - 890

*Must specify handing of tray - For full list of tray sizes and options see pages 62 - 65

N.B. The smaller panel will always be on the short side of the tray



800mm Bi-Fold Door - H3B8CS | Roman Low Level Tray - RLT80

Bi-Fold Door

The in-fold design of the inward opening Haven Bi-Fold Door makes clever use of available space with minimum bathroom intrusion. The precision crafted door glides and hinges ensure the toughened glass effortlessly folds back into the shower surround.

GLASS HEIGHT 1900 mm

GLASS THICKNESS 4 mm

SPECIFICATIONS:

- Chromed plastic top caps
- Smooth running bearing assemblies running in the top and bottom rail
- Easy Installation
- Reversible for left or right hand fixing



800mm Bi-Fold Door - H3B8CS | 300mm In-line Panel - H3HL3CS
800mm Side Panel - H3R8CS | Roman Low Level Tray - RLT118

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H3B76CS	760	435	700 - 750	730 - 780
H3B8CS	800	475	740 - 790	770 - 820
H3B9CS	900	575	840 - 890	870 - 920
H3B10CS	1000	675	940 - 990	970 - 1020

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 32 - 33



800mm Pivot Door - H3P8CS | 200mm In-line Panel - H3HL2CS | Roman Low Level Tray - RLT108

Pivot Door

The modern styling of this outward opening Pivot Door creates a supremely efficient and flexible solution to suit any number of showering configurations. The carefully engineered door cleverly takes up less external space when opened to allow for other bathroom fixtures and fittings.

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

SPECIFICATIONS:

- Watertight magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth operation hinges with chromed plastic cover caps
- Reversible for left or right hand fixing



800mm Pivot Door - H3P8CS | 800mm Side Panel - H3R8CS | Roman Low Level Tray - RLT80

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H3P7CS	700	400	640 - 690	666 - 716
H3P76CS	760	460	700 - 750	726 - 776
H3P8CS	800	500	740 - 790	766 - 816
H3P9CS	900	600	840 - 890	866 - 916
H3P10CS	1000	700	940 - 990	966 - 1016

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 32 - 33



1200mm Sliding Door - **H3S12CS** | Matt Grey Anti-Slip Tray - **RST128MG** | Plinth and Leg Set - **RSTRK02**

Sliding Door

The stylish sliding doors glide effortlessly on the single unobtrusive top rail and the 'quick release' mechanism featured on the bottom rail makes cleaning a simple task. It is an ideal solution when space is at a premium as the sliding doors do not project out into the bathroom.

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

SPECIFICATIONS:

- PVC / magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release bearings' in the bottom rail
- Reversible for left or right hand fixing



1700mm Sliding Door - **H3S17CS** | 800mm Side Panel - **H3R8CS**

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H3S10CS	1000	390	940 - 990	966 - 1016
H3S11CS	1100	440	1040 - 1090	1066 - 1116
H3S12CS	1200	490	1140 - 1190	1166 - 1216
H3S13CS	1300	540	1240 - 1290	1266 - 1316
H3S14CS	1400	590	1340 - 1390	1366 - 1416
H3S15CS	1500	640	1440 - 1490	1466 - 1516
H3S16CS	1600	690	1540 - 1590	1566 - 1616
H3S17CS	1700	740	1640 - 1690	1666 - 1716

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 32 - 33



1700mm Level Access Sliding Door - H3LEL17CS (Left Hand)

Level Access Sliding Door

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

This innovative enclosure is ideal for the whole family with its barrier free bottom rail option, spacious door opening and stylish ergonomic handle. Its design is truly inclusive, whilst maintaining its luxury styling and superb water integrity.

SPECIFICATIONS:

- Easy release door function
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth running bearing assemblies in the top rails
- Optional aluminium water guard strip (supplied)
- Right or left handing must be specified



1700mm Level Access Sliding Door - H3LEL17CS (Left Hand)
800mm Side Panel - H3R8CS

Code	Size (mm)	Handing	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H3LEL10CS	1000	Left Hand	390	940 - 990	976 - 1017
H3LER10CS	1000	Right Hand	390	940 - 990	976 - 1017
H3LEL11CS	1100	Left Hand	440	1040 - 1090	1076 - 1117
H3LER11CS	1100	Right Hand	440	1040 - 1090	1076 - 1117
H3LEL12CS	1200	Left Hand	490	1140 - 1190	1176 - 1217
H3LER12CS	1200	Right Hand	490	1140 - 1190	1176 - 1217
H3LEL14CS	1400	Left Hand	590	1340 - 1390	1376 - 1417
H3LER14CS	1400	Right Hand	590	1340 - 1390	1376 - 1417
H3LEL15CS	1500	Left Hand	640	1440 - 1490	1476 - 1517
H3LER15CS	1500	Right Hand	640	1440 - 1490	1476 - 1517
H3LEL17CS	1700	Left Hand	740	1640 - 1690	1676 - 1717
H3LER17CS	1700	Right Hand	740	1640 - 1690	1676 - 1717

For full list of tray sizes and options see pages 62 - 65

Not recommended when using ultra-low level shower trays to simulate a wet room environment

For Side Panel and In-Line Panel information see page 32 - 33



1200 x 800mm Corner Entry - H3C812CS | Roman Low Level Tray - RLT128

Corner Entry

The Corner Entry enclosure is an ideal showering solution for when entry through the diagonal is more practical, but without the compromise on showering space. The Corner Entry is available in a range of sizing options, including offset versions.

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

SPECIFICATIONS:

- PVC / magnetic seals
- Chromed brass bolt through handles
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release bearings' in the bottom rail allows quick cleaning
- Reversible for left or right hand fixing



760mm Corner Entry - H3C76CS | Roman Low Level Tray - RLT76

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
H3C7CS	Corner Entry	700 x 700	330	665 - 690
H3C76CS	Corner Entry	760 x 760	375	725 - 750
H3C8CS	Corner Entry	800 x 800	400	765 - 790
H3C9CS	Corner Entry	900 x 900	470	865 - 890
H3C10CS	Corner Entry	1000 x 1000	545	965 - 990
H3C79CS	Offset Corner Entry	700 x 900	400	665 - 690 & 865 - 890
H3C769CS	Offset Corner Entry	760 x 900	425	725 - 750 & 865 - 890
H3C89CS	Offset Corner Entry	800 x 900	435	765 - 790 & 865 - 890
H3C7610CS	Offset Corner Entry	760 x 1000	460	725 - 750 & 965 - 990
H3C810CS	Offset Corner Entry	800 x 1000	510	765 - 790 & 965 - 990
H3C812CS	Offset Corner Entry	800 x 1200	545	765 - 790 & 1165 - 1190

For full list of tray sizes and options see pages 62 - 65



300mm In-line Panel - H3HL3CS | 700mm Side Panel - H3R7CS

Side and In-Line Panels and Extension Profiles

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

SPECIFICATIONS:

- Chromed plastic top caps
- Reversible for left or right hand fixing
- Extension profile extends all doors, side and in-line panels



800mm Side Panel - H3R8CS



Pivot door & side panel close up



Bi-fold door, in-line & side panel close up

Code	Description	Size (mm)	Adjustment (mm)
H3R7CS	Side Panel	700	665 - 690
H3R76CS	Side Panel	760	725 - 750
H3R8CS	Side Panel	800	765 - 790
H3R9CS	Side Panel	900	865 - 890
H3R10CS	Side Panel	1000	965 - 990
H3HL2CS	In-Line Panel	200	+200 to door size
H3HL3CS	In-Line Panel	300	+300 to door size
H3ZEXS	Extension Profile	-	40mm extra
H3ZEX2S	Mini Extension Profile	-	15mm extra



900 x 900mm Quadrant - H3SQ9CB | Roman Low Level Tray - RLQ90

One Door Quadrant

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm

The polished sliding door design of the One Door Quadrant presents a stylish and perfect space saving solution for the bathroom. The smooth gliding door allows for existing bathroom furniture, whilst also providing a luxuriously large showering area.

The black frame is anodised and then sandblasted for exceptional durability, scratch resistance and a smooth finish

SPECIFICATIONS:

- **Tray Compatibility:** 550mm radius
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release bearings' in the bottom rail to enable easy cleaning
- Full length colourless PVC seals
- Black handle on inside and outside of enclosure
- Black plastic top caps
- Easy Installation
- Reversible for left or right hand fixing



Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
H3SQ9CB	One Door Quadrant	900 x 900	450	865 - 890
H3SQ810CB*	One Door Offset Quadrant	1000 x 800	450	765 - 790 & 965 - 990

*Must specify handing of tray - For full list of tray sizes and options see pages 62 - 65

N.B. The smaller panel will always be on the short side of the tray



800mm Pivot Door - H3P8CB | 800mm Side Panel - H3R8CB | Roman Low Level Tray - RLT80

Pivot Door

The modern styling of this outward opening Pivot Door creates a supremely efficient and flexible solution to suit any number of showering configurations. The carefully engineered door cleverly takes up less external space when opened to allow for other bathroom fixtures and fittings.

The black frame is anodised and then sandblasted for exceptional durability, scratch resistance and a smooth finish

SPECIFICATIONS:

- Watertight magnetic seals
- Black bolt through handle
- Black plastic top caps
- Smooth operation hinges with chromed plastic cover caps
- Reversible for left or right hand fixing

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm



800mm Pivot Door - H3P8CB | Roman Low Level Tray - RLT80

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H3P76CB	760	460	700 - 750	726 - 776
H3P8CB	800	500	740 - 790	766 - 816
H3P9CB	900	600	840 - 890	866 - 916

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 40 - 41



1200mm Sliding Door - H3S12CB | Matt Grey Anti-Slip Tray - RST128MG

Sliding Door

The stylish sliding doors glide effortlessly on the single unobtrusive top rail and the 'quick release' mechanism featured on the bottom rail makes cleaning a simple task. It is an ideal solution when space is at a premium as the sliding doors do not project out into the bathroom.

The black frame is anodised and then sandblasted for exceptional durability, scratch resistance and a smooth finish

SPECIFICATIONS:

- PVC / magnetic seals
- Black bolt through handle
- Black plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release bearings' in the bottom rail
- Reversible for left or right hand fixing

GLASS HEIGHT 1900 mm

GLASS THICKNESS 6 mm



1700mm Sliding Door - H3S17CB | 800mm Side Panel - H3R8CB

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H3S10CB	1000	390	940 - 990	966 - 1016
H3S11CB	1100	440	1040 - 1090	1066 - 1116
H3S12CB	1200	490	1140 - 1190	1166 - 1216

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 40 - 41



800mm Side Panel - H3R8CB

Side and In-Line Panels and Extension Profiles

GLASS
HEIGHT 1900 mm

GLASS
THICKNESS 6 mm

SPECIFICATIONS:

- Black plastic top caps
- Reversible for left or right hand fixing
- Extension profile extends all doors, side and in-line panels

The black frame is anodised and then sandblasted for exceptional durability, scratch resistance and a smooth finish



200mm In-Line Panel - H3HL2CB

Code	Description	Size (mm)	Adjustment (mm)
H3R7CB	Side Panel	700	665 - 690
H3R76CB	Side Panel	760	725 - 750
H3R8CB	Side Panel	800	765 - 790
H3R9CB	Side Panel	900	865 - 890
H3R10CB	Side Panel	1000	965 - 990
H3HL2CB	In-Line Panel	200	+200 to door size
H3HL3CB	In-Line Panel	300	+300 to door size
H3ZEXB	Extension Profile	-	40mm extra



Open Position - 1000mm Bi-Fold Door - H5B10CS | Matt White Anti-Slip Tray - RST108

Bi-Fold Door

The framed Bi-Fold door is an extremely flexible and practical product for when inward opening entry is ideal. It is available in an array of width fittings, featuring precision roller bearings for a smooth sliding action.

GLASS
HEIGHT 1900 mm

GLASS
THICKNESS 4 mm

SPECIFICATIONS:

- Fully framed door with magnetic closing mechanism and cushioned seals
- Full length integral handle on inside and outside of door
- Precision roller bearing mechanism for smooth sliding action
- Reversible for left or right hand fixing



Closed Position - 1000mm Bi-Fold Door - H5B10CS | 800mm Side Panel - H5R8CS | Matt White Anti-Slip Tray - RST108

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H5B7CS	700	470	645 - 705	647 - 707
H5B76CS	760	500	675 - 735	677 - 737
H5B8CS	800	560	735 - 795	737 - 797
H5B9CS	900	650	825 - 885	827 - 887
H5B10CS	1000	760	930 - 990	932 - 992
H5B12CS	1200	965	1140 - 1200	1142 - 1202

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 48 - 49



Open Position - 1200mm Sliding Door - H5S12CS | 900mm Side Panel - H5R9CS | Matt White Anti-Slip Tray - RST129

Sliding Door

The Sliding doors are perfect for confined or awkward spaces as they do not protrude out into the bathroom. Cushioned magnetic seals eliminate noise when closing the door. Available with polished silver frame.

GLASS
HEIGHT 1900 mm

GLASS
THICKNESS 4 mm

SPECIFICATIONS:

- Fully framed door with magnetic closing mechanism and cushioned seals
- Reversible for left or right hand fixing
- Full length integral handle on inside and outside of door



Closed Position - 1200mm Sliding Door - H5S12CS | Matt White Anti-Slip Tray - RST129

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H5S10CS	1000	380	935 - 995	937 - 997
H5S11CS	1100	430	1035 - 1095	1037 - 1097
H5S12CS	1200	480	1135 - 1195	1137 - 1197

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 48 - 49



Closed Position - 900mm Pivot Door - **H5P9CS** | 900mm Side Panel - **H5R9CS** | Acrylic Capped Tray - **RLT90**

Pivot Door

The simplicity of the Haven Framed Pivot Door creates a stunning and contemporary showering solution. The Pivot Door takes up minimal external space when opened and can be installed in an alcove or with a side panel.

GLASS
HEIGHT \updownarrow 1900 mm

GLASS
THICKNESS \times 4 mm

SPECIFICATIONS:

- Fully framed door with magnetic closing mechanism
- Full length integral handle on inside and outside of door
- Full length cushion seals and deflector guide
- Outward opening doors must be hinged from the wall only
- Reversible for left or right hand fixing



Open Position - 900mm Pivot Door - **H5P9CS** | Acrylic Capped Tray - **RLT90**

Code	Size (mm)	Aperture (mm)	Adjustment (mm) Alcove Fitting	Adjustment (mm) With Side Panel
H5P7CS	700	425	635 - 695	637 - 697
H5P76CS	760	485	695 - 755	697 - 757
H5P8CS	800	525	735 - 795	737 - 797
H5P9CS	900	625	835 - 895	837 - 897

For full list of tray sizes and options see pages 62 - 65

For Side Panel and In-Line Panel information see page 48 - 49



800mm Bi-Fold Door - **H5B8CS** | 200mm In-Line Panel - **H5HL2CS** | Matt White Anti-Slip Tray - **RST108**

Side and In-Line Panels and Extension Profiles

GLASS
HEIGHT \updownarrow 1900 mm

GLASS
THICKNESS \times 6 mm

SPECIFICATIONS:

- Reversible for left or right hand fixing
- Extension profile extends all doors, side and in-line panels



800mm Pivot Door - **H5P8CS** | 200mm Side Panel - **H5HL2CS** | 900mm Side Panel - **H5R9CS** | Acrylic Capped Tray - **RLT109**

Code	Description	Size (mm)	Adjustment (mm)
H5R7CS	Side Panel	700	630 - 690
H5R76CS	Side Panel	760	690 - 750
H5R8CS	Side Panel	800	730 - 790
H5R9CS	Side Panel	900	830 - 890
H5R10CS	Side Panel	1000	930 - 990
H5R12CS	Side Panel	1200	1130 - 1190
H5HL2CS	In-Line Panel	200 x 1900	+285 to door size
H5HL3CS	In-Line Panel	300 x 1900	+335 to door size
H5HL4CS	In-Line Panel	400 x 1900	+410 to door size
H5ZEXS	Extension Profile	-	35mm extra



Wetroom panels, deflector panels and bracing kits available in:

	
Black	Bright Silver
	
Brushed Nickel*	Brushed Brass*

available in selected sizes only*

Wetroom Panels

To create a minimalist contemporary wetroom, there are various unique designs to suit everyone's needs. For a complete minimalist option there is the stunning corner panel, which can be installed to a shower tray, or straight to the floor for ease of access.

GLASS HEIGHT 2000 mm

GLASS THICKNESS 8 mm

SPECIFICATIONS:

- Reversible for left or right hand applications
- Suitable for use with power showers
- Stylish brace bars and fixed or pivoting return panels can be purchased separately if required. An adjustable foot is supplied with the fixed return panel for extra support

Add the relevant colour code to the end of the order code



8MM WETROOM PANELS

Description	Chrome	Black	Brushed Brass	Brushed Nickel	Actual Size (mm)	Code
Corner Panel (includes wall fixing kit allowing +/- 7.5mm of vertical adjustment)						
400 Corner Panel	•	•	•	•	365	H8SP4C
500 Corner Panel	•	•	•	•	465	H8SP5C
600 Corner Panel	•	•	•	•	565	H8SP6C
700 Corner Panel	•	•	•	•	665	H8SP7C
760 Corner Panel	•	•	•	•	725	H8SP76C
800 Corner Panel	•	•	•	•	765	H8SP8C
900 Corner Panel	•	•	•	•	865	H8SP9C
1000 Corner Panel	•	•	•	•	965	H8SP10C
1100 Corner Panel	•	•	•	•	1065	H8SP11C
1200 Corner Panel	•	•	•	•	1165	H8SP12C
1400 Corner Panel	•	•	•	•	1365	H8SP14C
Deflector Panel (includes fixed or pivoting corner fixing kit)						
200 'L' Shaped Fixed Return Panel	•	•			226	H8SPL2C
200 'L' Shaped Pivoting Return Panel	•	•	•	•	243	H8SPM2C
300 'L' Shaped Pivoting Return Panel	•	•	•	•	343	H8SPM3C
400 'L' Shaped Pivoting Return Panel	•	•	•	•	443	H8SPM4C
Linear Panel (includes freestanding floor fixing kit)						
1000 Linear Panel	•	•			955	H8LP10C
1100 Linear Panel	•	•			1055	H8LP11C
1200 Linear Panel	•	•			1155	H8LP12C
1400 Linear Panel	•	•			1355	H8LP14C
Glass to Glass Panel (includes fixing kit)						
600 Glass to Glass Panel	•	•			567	H8FP6C
700 Glass to Glass Panel	•	•			667	H8FP7C
760 Glass to Glass Panel	•	•			727	H8FP76C
800 Glass to Glass Panel	•	•			767	H8FP8C
900 Glass to Glass Panel	•	•			867	H8FP9C
1000 Glass to Glass Panel	•	•			967	H8FP10C
1100 Glass to Glass Panel	•	•			1067	H8FP11C
1200 Glass to Glass Panel	•	•			1167	H8FP12C



Bracing is recommended for use with all wetroom panel sizes.

Due to the nature of the product water integrity cannot be guaranteed - please consult your installer.

For 10mm glass thickness wetroom panels see pages 52 - 53

For Bracing kit options see page 54 - 55

800mm Wetroom Panel - **H8SP8CBR** | Pivoting Deflector Panel - **H8SPM3CBR** | Brace Bar - **HBBK4590SQBR**



Wetroom panels, deflector panels and bracing kits available in:

	
Black	Bright Silver
	
Brushed Nickel*	Brushed Brass*

available in selected sizes only*

800mm Wetroom Panel - H10SP9CB | Brace Bar - HBBK4590SQB

Wetroom Panels

All Panels are 2000mm high and are available in either Chrome, Matt Black, Brushed Nickel or Brushed Brass finish with clear glass. Bracing is recommended for use with all wet room panel sizes.

GLASS HEIGHT 2000 mm

GLASS THICKNESS 10 mm

SPECIFICATIONS:

- Reversible for left or right hand applications
- Suitable for use with power showers
- Stylish brace bars and fixed or pivoting return panels can be purchased separately if required. An adjustable foot is supplied with the fixed return panel for extra support

Add the relevant colour code to the end of the order code

			
Black add B to codes	Bright Silver add S to codes	Brushed Nickel add N to codes	Brushed Brass add BR to codes

10MM WETROOM PANELS

Description	Chrome	Black	Brushed Brass	Brushed Nickel	Actual Size (mm)	Code
Corner Panel (includes wall fixing kit allowing +/- 7.5mm of vertical adjustment)						
400 Corner Panel	•	•	•	•	350	H10SP4C
500 Corner Panel	•	•	•	•	450	H10SP5C
600 Corner Panel	•	•	•	•	550	H10SP6C
700 Corner Panel	•	•	•	•	650	H10SP7C
760 Corner Panel	•	•	•	•	710	H10SP76C
800 Corner Panel	•	•	•	•	750	H10SP8C
900 Corner Panel	•	•	•	•	850	H10SP9C
1000 Corner Panel	•	•	•	•	950	H10SP10C
1100 Corner Panel	•	•	•	•	1050	H10SP11C
1200 Corner Panel	•	•	•	•	1150	H10SP12C
1400 Corner Panel	•	•	•	•	1350	H10SP14C
Deflector Panel (includes fixed or pivoting corner fixing kit)						
200 'L' Shaped Fixed Return Panel	•	•			226	H10SPL2C
200 'L' Shaped Pivoting Return Panel	•	•	•	•	243	H10SPM2C
300 'L' Shaped Pivoting Return Panel	•	•	•	•	343	H10SPM3C
400 'L' Shaped Pivoting Return Panel	•	•	•	•	443	H10SPM4C
Linear Panel (includes freestanding floor fixing kit)						
1000 Linear Panel	•	•			940	H10LP10C
1100 Linear Panel	•	•			1040	H10LP11C
1200 Linear Panel	•	•			1140	H10LP12C
1400 Linear Panel	•	•			1340	H10LP14C
Glass to Glass Panel (includes fixing kit)						
600 Glass to Glass Panel	•	•			556	H10FP6C
700 Glass to Glass Panel	•	•			656	H10FP7C
760 Glass to Glass Panel	•	•			716	H10FP76C
800 Glass to Glass Panel	•	•			756	H10FP8C
900 Glass to Glass Panel	•	•			856	H10FP9C
1000 Glass to Glass Panel	•	•			956	H10FP10C
1100 Glass to Glass Panel	•	•			1056	H10FP11C
1200 Glass to Glass Panel	•	•			1156	H10FP12C

Bracing is recommended for use with all wetroom panel sizes.
Due to the nature of the product water integrity cannot be guaranteed - please consult your installer.

For 8mm glass thickness wetroom panels see pages 50 - 51
For Bracing kit options see page 54 - 55

CONFIGURATIONS:

This is just a selection of configurations which can be created using either 8mm or 10mm Wetroom glass panels.

- Corner Panel
• Low Level Brace kit
- Corner Panel
• Ceiling Brace kit
- Corner Panel
• Floor to Ceiling Brace kit
- x2 Corner Panels
• x2 Low Level Brace kits
- Corner Panel
• Pivoting Deflector Panel
• Low Level Brace kit
- x2 Corner Panels
• Low Level Brace kit
• Side Panel Brace kit
- x2 Corner Panels
• Fixed Deflector
• Low Level Brace kit



700mm Wetroom Panel - H8SP7CS | Pivoting Deflector Panel - H8SPM3CS | Brace Bar - HBBK4590SQ

Wetroom panels, deflector panels and bracing kits available in:

	
Black	Bright Silver
	
Brushed Nickel*	Brushed Brass*

available in selected sizes only*

Wetroom Brace Kits

There are a number of different styles of bracing bars, which can be used with 8mm and 10mm glass thicknesses. We offer all configurations that may be required and they can be cut and trimmed to the size required during installation to allow maximum flexibility and use of space. Bracing kits are used to provide added support for the glass and ensure that it is securely fitted in place. Our Square brace bars are now available in Black, Chrome, Brushed Nickel or Brushed Brass.

ROUND BRACE BARS




SQUARE BRACE BARS



800mm Wetroom Panel - H8SP8CS | Brace Bar - HF2C8KITSQ

Description	Size Max (mm)	Code
Round Brace Bars (only available in chrome)		
Low Level Brace Kit*	1030	HBBK4590
Side Panel Brace Kit (use with HBBK4590)	1000	HBBKT90
Ceiling Brace Kit	1030	HBBKC50
Floor to Ceiling Brace Kit	2700 high	HF2C8KIT
Low Level Brace Kit (90° only)	1030	HBBK90
Square Brace Bars - Chrome		
Low Level Brace Kit*	1030	HBBK4590SQ
Side Panel Brace Kit (use with HBBK4590SQ)	1000	HBBKT90SQ
Ceiling Brace Kit	1030	HBBKC50SQ
Floor to Ceiling Brace Kit	2700 high	HF2C8KITSQ
Square Brace Bars - Black, Brushed Brass, Brushed Nickel (add relevant colour letter to code)		
Low Level Brace Kit*	1030	HBBK4590SQ
Side Panel Brace Kit (use with HBBK4590SQ)	1000	HBBKT90SQ
Ceiling Brace Kit	1030	HBBKC50SQ
Floor to Ceiling Brace Kit (black only)	2700 high	HF2C8KITSQ

Add the relevant colour code to the end of the order code



*For use straight back to wall or can be cut to 45° if required for corner fixing as illustrated in 1(a) and 1(b), 2(a) and 2(b).
N.B. Adjustments are measured from the wall to the inside of the glass.



FRAMELESS BATH SCREEN

- **Width:** 835mm
- Bright silver frame
- Rotates through 180° for access
- Unique seal system
- Reversible for left or right hand fixing
- **Suitable for use with power showers**

INWARD FOLDING BATH SCREEN

- **Width Open:** 525 - 550mm / **Width Closed:** 885 - 910mm
- Bright silver frame
- Inward folding panel
- Reversible for left or right hand fixing
- **Suitable for use with power showers**

FIXED BATH SCREEN

- **Width:** 800mm
- Bright silver frame
- Brace bar included
- Unique sealing system for added water integrity
- Reversible for left or right hand fixing
- **Suitable for use with power showers**

HINGED BATH SCREEN

- **Width:** 835mm
- Bright silver frame and chromed brass hinges
- Outward opening
- Unique sealing system for added water integrity
- **Suitable for use with power showers**
- Left or right handing must be specified

There are now fourteen stylish bath screens available in the Haven range - each offering a perfect and unique over the bath showering solution. Our extensive range of bath screens offers something to suit everyone's requirements and style of bathroom. We offer a range of sizes, shapes, glass thicknesses and styles designed to fit around any existing bathroom fixtures and fittings.

Our range includes power shower approved bath screens for a superior showering experience, which incorporate a unique seal system for added water integrity.

Code	Description	Size (mm)	Adjustment (mm)
H4D3CS	Frameless Bath Screen	1500 x 835	810 - 835
H4D6CS	Inward Folding Bath Screen	1500 x 910	885 - 910
H4D11CS	Fixed Bath Screen	1467 x 800	783 - 808
H4D12CSL	Hinged Bath Screen Left Hand	1500 x 835	810 - 835
H4D12CSR	Hinged Bath Screen Right Hand	1500 x 835	810 - 835



GLASS HEIGHT
 1500 mm
 GLASS THICKNESS
 6 mm

Angled Bath Screen - H2D1CS

ANGLED BATH SCREEN

- **Width:** 850mm
- Bright silver aluminium towel rail
- Frameless with radius glass
- Reversible for left or right hand fixing
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems



GLASS HEIGHT
 1360 mm
 GLASS THICKNESS
 5 mm

Curved Bath Screen - H2D2CS

CURVED BATH SCREEN

- **Width:** 820mm
- Rotates through 180° for access
- Frameless with radius glass
- Reversible for left or right hand fixing
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems




GLASS HEIGHT
 1360 mm
 GLASS THICKNESS
 5 mm

Standard Bath Screen - H2D3CS

STANDARD BATH SCREEN

- **Width:** 820mm
- Rotates through 180° for access
- Frameless with square glass
- Reversible for left or right hand fixing
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems



GLASS HEIGHT
 1500 mm
 GLASS THICKNESS
 6 mm

Inward Folding Bath Screen - H2D6CS

INWARD FOLDING BATH SCREEN

- **Width Open:** 525 - 550mm
- **Width Closed:** 885 - 910mm
- Frameless with square glass
- Reversible for left or right hand fixing
- Optional brace bar included
- Suitable for use with power showers



GLASS HEIGHT
 1500 mm
 GLASS THICKNESS
 6 mm

Curved Folding Bath Screen - H2D9CSR

CURVED FOLDING BATH SCREEN

- **Width Open:** 525 - 550mm
- **Width Closed:** 885 - 910mm
- Frameless with curved glass
- Optional brace bar included
- Suitable for use with power showers
- Left or right handing must be specified (right hand pictured)



GLASS HEIGHT
 1500 mm
 GLASS THICKNESS
 6 mm

Power Shower Bath Screen - H2D10CS

POWER SHOWER BATH SCREEN

- **Width:** 815mm
- Rotates through 180° for access
- Frameless with square glass
- Unique sealing system for added water integrity
- Reversible for left or right hand fixing
- Suitable for use with power showers



GLASS HEIGHT
 1467 mm
 GLASS THICKNESS
 6 mm

Fixed Bath Screen - H2D11CS

FIXED BATH SCREEN

- **Width:** 800mm
- Frameless with square glass
- Brace bar included
- Unique sealing system for added water integrity
- Reversible for left or right hand fixing
- Suitable for use with power showers


Code	Description	Size (mm)	Adjustment (mm)
H2D1CS	Angled Bath Screen	1500 x 850	850 - 875
H2D2CS	Curved Bath Screen	1360 x 820	810 - 825
H2D3CS	Standard Bath Screen	1360 x 820	810 - 825
H2D6CS	Inward Folding Bath Screen Chrome Finish	1500 x 910	885 - 910
H2D9CSL	Inward Folding Curved Bath Screen Left Hand	1500 x 910	885 - 910
H2D9CSR	Inward Folding Curved Bath Screen Right Hand	1500 x 910	885 - 910
H2D10CS	Power Shower Bath Screen Chrome Finish	1500 x 815	810 - 825
H2D11CS	Fixed Bath Screen Chrome	1467 x 800	787 - 812

Roman has a huge commitment throughout the business to environmental targets, recycling, sustainable materials and sustainable business practices. As British manufacturers, Roman are increasingly focussed on environmental credentials and have a strong focus on the Circular Economy - with the ultimate aim of becoming carbon neutral. Every piece of aluminium is already 100% recycled before use, and all packaging is 100% recyclable before and after use. The benefit of working with solid surface material is any waste can be reground into the original material.




Inward Folding Bath Screen - H2D6CB

GLASS HEIGHT	GLASS THICKNESS
1500 mm	6 mm



Power Shower Bath Screen - H2D10CB

GLASS HEIGHT	GLASS THICKNESS
1500 mm	6 mm



Fixed Bath Screen - H2D11CS

GLASS HEIGHT	GLASS THICKNESS
1467 mm	6 mm

INWARD FOLDING BATH SCREEN

- **Width Open:** 525 - 550mm
- **Width Closed:** 885 - 910mm
- Frameless with square glass
- Reversible for left or right hand fixing
- Optional brace bar included
- Suitable for use with power showers

POWER SHOWER BATH SCREEN


- **Width:** 815mm
- Rotates through 180° for access
- Frameless with square glass
- Reversible for left or right hand fixing
- Unique sealing system for added water integrity
- Suitable for use with power showers

FIXED BATH SCREEN


- **Width:** 800mm
- Frameless with square glass
- Brace bar included
- Reversible for left or right hand fixing
- Unique sealing system for added water integrity
- Suitable for use with power showers

The black frame is anodised and then sandblasted for exceptional durability, scratch resistance and a smooth finish

Code	Description	Size (mm)	Adjustment (mm)
H2D6CB	Inward Folding Bath Screen	1500 x 910	885 - 910
H2D10CB	Power Shower Bath Screen	1500 x 815	810 - 825
H2D11CS	Fixed Bath Screen	1467 x 800	787 - 812



Roman is constantly working with our suppliers to maximise the use of recycled materials. The principles of the circular economy are embedded in all of our design and purchasing policies and plans. All Roman's aluminium and packaging is manufactured using 100% recycled material before we use it in our manufacturing process. All other materials used in the manufacturing of our products are also at high levels of recycled material. Our packaging is fully environmentally friendly with no wood or polystyrene used and is therefore itself 100% recyclable.



Anti-Slip Trays



Our collection of Solid Surface Anti Slip Shower Trays offers a stylish finish, with a domed aluminium waste cover. The low profile trays are self-reinforcing so can be laid directly down to joists and then tiled up to, achieving a level access wetroom look. They are available in matt white or grey which has been approved for Anti-Slip properties. For volume orders we can accommodate a variety of colour finishes and sizes to your specification, including stone effect finishes to coordinate your bathroom design.

Size (mm)	Finish	White Tray Code	Grey Tray Code
1000 x 800	Matt	RST108	RST108MG
1200 x 800	Matt	RST128	RST128MG
1200 x 900	Matt	RST129	RST129MG
1300 x 800	Matt	RST138	RST138MG
1400 x 900	Matt	RST149	RST149MG
1500 x 800	Matt	RST158	RST158MG
1500 x 900	Matt	RST159	RST159MG
1600 x 700	Matt	RST167	RST167MG
1600 x 800	Matt	RST168	RST168MG
1700 x 800	Matt	RST178	RST178MG

PLINTH AND LEG SET

Standard Riser Kit	RSTRK01	RSTRK02
--------------------	---------	---------

SPECIFICATIONS:

- Ultra low 50mm profile
- Manufactured using Roman Stone solid surface technology
- One angle of slope to waste to maximise flow rating
- Fast flow waste included
- Solid Surface Plinth and Leg Set available if required
- Chrome plated domed waste


RISER PANEL KIT

Shown with legs and plinth



Anti Slip Trays

Matt Trays have been tested to:
BS7976-2:2002+A1:2013 – Slip potential – low DIN 51097:1992 Class C





The Ultimate Bathroom Protector on glass

All Roman's enclosures and bath screens are pre-coated with Roman Ultra Care, our own unique glass protection system. Pre-coated glass protection systems will always diminish in their effectiveness over time, depending on how often the shower is used and how often it is cleaned. Unlike other systems, Roman Ultra Care in a bottle can be used in tandem with the pre-coat to build up the effectiveness and make it stronger the more you clean.

Roman Ultra Care is an award winning bathroom protector and has a 10 year track record for successfully protecting Roman's extensive product range. When applied to the glass of an enclosure or bath screen it creates a chemical barrier which provides protection against the build-up of grime, limescale and stains. The protective barrier means water glides off the glass with ease. This results in the protected surface remaining easy to clean by simply applying a mild detergent and wiping with a damp cloth or using a Roman Shower Blade.

By topping up the glass protection system with Roman Ultra Care in a bottle every time you clean, you can significantly reduce the amount of time required to clean your enclosure and bathroom surfaces. Most importantly, you can considerably prolong the life of your Roman product and at the same time do your bit for the environment by eliminating the use of harsh and damaging cleaning products.

Buy online at www.romanathome.com

750ml Bottle Code: RUC03



Consumer Guide

Roman shower enclosures have been tested and fully conform to the scope and relevant characteristics of BS EN14428:2015 (Shower Enclosures - Functional requirements and test methods), to meet the requirements of the mandate given under the EU Construction Product Directive (89/106/EEC).

As a result of full compliance to the directive and harmonized standard; Roman shower enclosures carry the 'CE' mark and are accompanied by a declaration of performance. (Available to view on www.roman-showers.com)

The CE marking indicates Roman shower enclosures conform to all essential requirements of European health and safety and environmental protection legislation. The conformity is mandatory, and allows Roman products to be legally placed on the market anywhere in the European Economic Area.

As per government guidelines Roman are actively preparing to apply the new UK CA Mark for any newly manufactured products from 1st January 2021. The UKCA (UK Conformity Assessed) marking is a new UK product marking that will be used for goods being placed on the market in Great Britain (England, Wales and Scotland). It covers most goods which previously required the CE marking.

Additionally all Roman trays fully conform to EN14527:2016.



Important Product Details

- Haven Enclosures and Bath Screens carry a lifetime manufacturer's guarantee if products are installed according to the installation instructions - see guarantee criteria to the right.
- Simple and clear installation instructions are included with all Haven Products.
- Any guarantee variations are indicated separately.
- All Haven Enclosures and Bath Screens are manufactured using toughened safety glass which complies to BSEN12150.
- All Haven Enclosures and Bath Screens are tested in accordance with BSEN14428 - Shower enclosures, functional requirements and test methods.
- Roman's toughened glass is completely safe for use in our shower enclosures and bath screens; providing our products are installed according to our guidelines.
- It is important to note, that the glass must not be mounted or 'pinched' in such a way that would cause a stress point to develop in the glass. In addition, it must not be subjected to any sharp impact or severe temperature fluctuation which may also cause a stress point to develop in the glass.
- Roman's toughened glass is physically and thermally significantly stronger than standard glass. However a significant impact (or stress as outlined above) can cause toughened glass to break. In the event of breakage, toughened glass will break safely into small fragments in line with all relevant standards.
- All heights quoted for Enclosures and Bath Screens are from the top of the shower tray or bath.
- All fixings are hidden on Haven products.
- The term "Silver" describes the colour of the aluminium finish. No silver metal is included in any Haven products.
- All fixings and pivot pins are manufactured from stainless steel - this adds great strength and durability to Haven products.
- All seals and gaskets on Haven products are manufactured from colourless PVC.
- Haven over-bath products are not designed for baths with shaped or stepped fronts or integral soap dishes.
- The design rights of these products are owned by Roman Limited. All rights reserved.
- Roman recommends only the use of Roman Trays with Roman Shower Enclosures.
- For compatibility of Haven Enclosures with steam generators please contact Roman Customer Relations for advice on: +44 (0) 1325 328 033.
- Roman Ultra Care pre-coat must be maintained by applying Ultra Care from a bottle on an ongoing basis as it will naturally diminish over time.
- Due to the nature of the Haven Wetroom Panel products, water integrity cannot be guaranteed. Please consult your installer.

Guarantee

Roman Ltd. guarantees all Haven Shower Enclosures and Bath Screens and Roman solid surface trays against faulty materials or manufacture for LIFE, provided they have been installed, used and maintained in accordance with our instructions.

All Roman product guarantees must be completed and returned within 60 days of purchase to validate the relevant guarantee. Failure to meet this deadline will result in a statutory 1 year guarantee on all products.

Should a claim arise Roman Ltd. Customer Relations will investigate the issue. As part of this investigation we request that the following conditions be satisfied:

1. Proof of purchase at the time of the claim.
2. The guarantee applies to the original purchaser only and is non transferable.
3. The product has been fitted / installed in accordance with Haven fixing instructions, local bylaws and general good plumbing practice.
4. The product has been maintained and cared for in accordance with our instructions (including regular and appropriate cleaning).

If in our opinion the product has been modified, misused, neglected, wilfully or accidentally damaged, we can accept no responsibility for failure.

Roman Ltd. or its representatives must be given the opportunity to inspect the product in the installed condition. Callouts may be chargeable depending upon circumstances.

Should any products included in the Lifetime guarantee be used for commercial use i.e. leisure clubs, schools, hospitals, student accommodation, hotels or residential homes, only a 5 year guarantee will be applicable.

If in our opinion the product fails due to faulty materials or manufacture and that the conditions above have been met, Roman Ltd. will arrange for a specialist Roman Technical Sales Representative to repair or replace that item at our option.

Roman Ltd. believes in continuous improvement. If in our opinion the product has failed under the terms of the Guarantee and a replacement is offered but identical goods are no longer available, Roman Ltd will endeavour to replace it with our nearest equivalent product. For countries outside of the UK and Republic of Ireland, where a product has failed due to faulty materials or manufacture, a replacement product or product part will be offered only.

Should Roman Ltd carry out work as a result of a claim but subsequently it is revealed that the product has been abused or improperly installed, we reserve the right to charge the customer for the expense incurred.

The liability of Roman Ltd. is limited to the product supplied by Roman Ltd. and does not extend to consequential loss or damage arising from the defective product.

This Guarantee, which is effective for products purchased after July 1st 2008, states our entire liability and is offered to customers acquiring our products as consumers, not in the course of trade or business. Ex displays or products reinstalled from their original position are not covered under this guarantee.

Non glass or metallic parts (e.g. seals) are subject to normal wear and tear through usage and are therefore covered on all products for 1 year from installation.

Roman Ultra Care pre-coat is not covered by this guarantee and it must be maintained by applying Ultra Care from a bottle on an ongoing basis.

Haven products not included in the Lifetime Guarantee includes the Roman Acrylic Capped Trays which are covered for one year.

This Guarantee does not affect your statutory rights. This Guarantee is wholly applicable in the U.K. and Republic of Ireland – export conditions as indicated.

Roman Limited
Whitworth Avenue, Aycliffe Business Park, County Durham, DL5 6YN
Phone: +44 (0) 1325 328033
www.roman-showers.com

Make cleaning your bathroom easy with our

Shower, Tile & Bath Restoration and Maintenance Kit



Kit Code: RUC14

The ultimate bathroom cleaning and restoration kit, to bring sparkle back to your bathroom. The Roman Cleaning Kit is a three stage kit which will give you bathroom a deep cleanse, treat the surfaces and provide on-going protection, whilst also being kind to the environment:

- Restore discoloured glass and maintain the sparkle of your bathroom
- Clean and protect your shower in minutes
- Eliminates hard water and soap scum build-up

For details of your nearest stockist please contact Roman Customer Relations on 01325 328033 or buy online at www.romanathome.com

3 Step System includes:

ULTRA SCRUB Surface Stain Cleanser

Designed to effectively and easily clean your bathroom surfaces, including Glass, Porcelain, Ceramics and other hard surfaces. Developed to remove the build-up of minerals, rust, soaps, oils and limescale but without damaging the surface.

ULTRA SHIELD Glass and Surface Treatment

Formulated to clean and protect. Ultra Shield can be used on your bathroom surfaces to create a water, soil and stain repellent barrier coating which prevents water, soil and grime from sticking for easier cleaning. This barrier is renewed with each use.

ULTRA CARE Glass & Surface Protector

For a long lasting sparkle on bathroom and shower surfaces. Ultra Care is the ultimate surface protector that repels the build-up. Also available in large bottle for ongoing aftercare.

UK:

Roman Limited,
Whitworth Avenue,
Aycliffe Business Park,
County Durham,
DL5 6YN,
England, UK.

GENERAL RECEPTION:

Phone: +44 (0) 1325 311318

UK CUSTOMER RELATIONS:

Phone: +44 (0) 1325 328033
Email: custserv@roman-showers.com

UK SALES:

Phone: +44 (0) 1325 328034
Email: orders@roman-showers.com

INTERNATIONAL SALES/CUSTOMER RELATIONS:

Phone: +44 (0) 1325 327740
Email: international@roman-showers.com
www.roman-showers.com/international

A&D SHOWROOM - LONDON:

648 Kings Road,
Chelsea,
London,
SW6 2DU

ASIA PACIFIC:

Roman Asia Sdn Bhd ^(941603-K)
No.6, Jalan Olivin, Taman Industri Sungai Purun,
43500 Semenyih, Selangor, Malaysia.

ASIA SALES:

Phone: +60 (0) 3 8727 8816
Email: romanasia@roman-showers.com
www.roman-showers.com/international/roman-asia/

A&D SHOWROOM - ASIA:

Cosentino Centre Kuala Lumpur - Malaysia,
Jalan TSB 8,
Taman Industri Sungai Buloh
47000 Petaling Jaya,
Selangor, Malaysia

ROMAN IRELAND:

W10F
Ladytown Business Park
Naas
County Kildare
Ireland

IRELAND SALES:

Phone: +353 (0) 45 408 118
Email: irelandsales@roman-showers.com
www.roman-showers.com/international/roman-ireland-information/

www.roman-showers.com

